

# HAMILTON PARK

SECTION 27, TOWNSHIP 28 SOUTH, RANGE 17 EAST, HILLSBOROUGH COUNTY, FLORIDA  
AND A REPLAT OF BLOCK 2, SUNRAY ESTATES UNIT No. 5, PLAT BOOK 38, PAGE 30

THIS IS NOT A CERTIFIED COPY THIS IS NOT A CERTIFIED COPY THIS IS NOT A CERTIFIED COPY

**DESCRIPTION:**

A parcel of land lying within the Southeast 1/4 and the Southwest 1/4 of Section 27, Township 28 South, Range 17 East, Hillsborough County, Florida, being more particularly described as follows:  
BEGIN at the intersection of the West right-of-way line of Creek Drive West (a 50-foot right-of-way per Sunray Estates Unit No. 5, as recorded in Plat Book 38, Page 30 of the Public Records of Hillsborough County) and the North right-of-way line of Hamilton Avenue West (per Official Records Book 240, Page 402 of the Public Records of Hillsborough County); thence N89°25'17"W, along said North right-of-way line of Hamilton Avenue West, a distance of 42.71 feet to the point of intersection of the East line of the Northeast 1/4 of the Southwest 1/4 of said Section 27 and the North right-of-way line of Hamilton Avenue West; thence N89°16'06"W, along said North right-of-way line of Hamilton Avenue West, a distance of 1311.40 feet to a point on the West line of the Northeast 1/4 of the Southwest 1/4 of said Section 27, also being a point on the East line of Timberlane Subdivision Unit No. 2, as recorded in Plat Book 50, Page 16 of the Public Records of Hillsborough County, Florida; thence N00°53'29"E, along said West line of the Northeast 1/4 of the Southwest 1/4 of said Section 27, also being the East line of Timberlane Subdivision Unit No. 2 and the East line of Timberlane Subdivision Unit No. 3A, as recorded in Plat Book 51, Page 47 of the Public Records of Hillsborough County, Florida, a distance of 1243.19 feet to a point on the South line of the Hillsborough County Canal Right-of-Way, as recorded in Official Records Book 906, Page 192 of the Public Records of Hillsborough County, Florida, also being a point lying 50.00 feet South of the North line of the Northeast 1/4 of the Southwest 1/4 of said Section 27; thence S89°24'50"E, along said South line of the Hillsborough County Canal Right-of-Way, also being a line lying 50.00 South of and parallel with the North line of the Northeast 1/4 of the Southwest 1/4 of said Section 27, a distance of 1250.02 feet; thence S00°42'10"W, a distance of 404.41 feet to the Northwest corner of said Sunray Estates Unit No. 5; thence S89°22'27"E, along the North line of said Sunray Estates Unit No. 5, a distance of 100.00 feet to the West right-of-way line of Creek Drive West (a 50-foot right-of-way per Sunray Estates Unit No. 5, Plat Book 38, Page 30 of the Public Records of Hillsborough County, Florida); thence S00°42'10"W, along said West right-of-way line of Creek Drive West, a distance of 842.02 feet to the POINT OF BEGINNING.

Said parcel containing 37.71 acres, more or less.

**Plat Notes:**

Basis of bearing is the West right-of-way line of Creek Drive West which bears S00°42'10"W.  
Bearings and coordinates (indicated in feet) as shown hereon refer to the State Plane Coordinate System, North American Horizontal Datum of 1983 (NAD 83 - 1990 adjustment) for the West Zone of Florida, have been established to a minimum of third order accuracy and are supplemental data only.  
Originating coordinates: Hillsborough County control monuments: "DOWNS" & "DOWNS A"  
Subdivision plats by no means represent a determination whether properties will or will not flood. Land within the boundaries of the plat may or may not be subject to flooding. The Hillsborough County Building Department has information regarding flooding and restrictions on development.  
Public drainage easements shall not contain permanent improvements, including, but not limited to, sidewalks, driveways, impervious surfaces, patios, decks, pools, air conditioners, structures, utility sheds, poles, fences, sprinkler systems, trees, shrubs, hedges, and landscaping plants other than grass, except as approved by the county administrator.  
All easements are private, unless otherwise designated.

**DEDICATION:**

BEAZER HOMES CORPORATION, as the fee simple owner of all lands referred to as HAMILTON PARK, described in the legal description which is part of this plat, hereby dedicates this plat for record.  
The "10' Utility Easement" is dedicated to and the use and benefit shall extend and insure to the benefit of all local, state, and federal governments, agencies and departments thereof, however reserving to BEAZER HOMES CORPORATION and assignees any easements or licenses for cable television, which company shall be selected by Hamilton Park Homeowners' Association, Inc.  
Tracts "A", "B", "C", "D", "E", "F", and wetland conservation areas shall be dedicated to the Hamilton Park Homeowners' Association for ownership and maintenance.  
All easements shown as private shall be dedicated to Hamilton Park Homeowners' Association and are not dedicated to the use of public in general.

An access easement over both Tracts "A" & "B" is hereby dedicated to emergency management services (ambulances, fire, police), postal or package delivery services or other such governmental invitees.  
Hillsborough County is granted an easement for access, installation, maintenance, repair and replacement of sanitary sewer and water lines and facilities within Tracts "A" & "B".

Tract "C" is dedicated to Hillsborough County, as a pump station.

*Devon Rushnell*  
Devon Rushnell - Vice President  
of Land Acquisition  
*Alfred J. Kessler*  
Alfred J. Kessler - Witness  
*Matthew M. McGarr*  
Matthew M. McGarr - Witness

AFFIDAVIT FILED  
DATE: 6-10-04  
OR BK 13922 PG 1232  
BY *Dana Smith*  
DEPUTY CLERK

**REVIEWING AGENCY SURVEYOR'S CERTIFICATE**

This plat has been reviewed in accordance with Florida Statutes, Section 177.081 for Chapter conformity. The geometric data has not been verified.

Reviewed by: *Ken Browning*  
Florida Professional Surveyor and Mapper, License 5355  
County Surveying Division, Real Estate Department,  
Hillsborough County, Florida


**CLERK OF THE CIRCUIT COURT**

State of Florida, County of Hillsborough. I certify that the within plat complies in form with all the requirements of Chapter 177 of the Florida Statutes. Filed in Plat Book 92, Page 31, of the Public Records of Hillsborough County, Florida.

1-24-02 Richard AKE  
Date Clerk of the Circuit Court  
1-24-02 Dana Smith  
Date Deputy Clerk  
TIME 11:34 AM 2002026333

**BOARD OF COUNTY COMMISSIONERS**


This plat is hereby accepted and approved for recordation.  
Dat Frank 1/23/02  
Chairman Date



BEAZER HOMES CORPORATION, a Tennessee corporation - OWNER

ACKNOWLEDGEMENT: STATE OF FLORIDA, COUNTY OF HILLSBOROUGH  
The foregoing instrument was acknowledged before me this 15th day of JANUARY, 2002, by DEVON RUSHNELL on behalf of the TENNESSEE CORPORATION


*Julie T. Hazlett*  
Julie T. Hazlett  
Notary Public, State of Florida at Large



**SURVEYOR'S CERTIFICATE**

I hereby certify that this plat was prepared under my direction and supervision and that it complies with all of the survey requirements of Chapter 177, PART I, of the Florida Statutes, and that the "P.R.M.'s" (Permanent Reference Monuments) as shown hereon have been set, and that the "P.C.P.'s" (Permanent Control Points) as shown hereon, and all other monumentation of lot corners, points of intersection and changes of direction of lines within the subdivision as required by said Chapter 177 of the Florida Statutes will be set within the time allotted in 177.091 (8) (9).

KCI Technologies, Inc. (LB6901)  
10150 Highland Manor Drive, Suite #120  
Tampa, Florida 33610  
*Gregory K. McKnight*  
Gregory K. McKnight  
Florida Professional Surveyor and Mapper  
License No. 6057





NOTICE:  
This plat, as recorded in its graphic form, is the official depiction of the subdivided lands described herein and will in no circumstances be supplanted in authority by any other graphic or digital form of the plat. There may be additional restrictions that are not recorded on this plat that may be found in the public records of this county.

**KCI TECHNOLOGIES, INC**  
10150 HIGHLAND MANOR DR., STE. #120  
TAMPA, FLORIDA 33610  
PHONE: (813) 740-2300  
FAX: (813) 740-0158  
SHEET 1 OF 7

**HAMILTON PARK**

SECTION 27, TOWNSHIP 28 SOUTH, RANGE 17 EAST,  
HILLSBOROUGH COUNTY, FLORIDA AND A REPLAT OF  
BLOCK 2, SUNRAY ESTATES UNIT No. 5,  
PLAT BOOK 38, PAGE 30

AFFIDAVIT FILED  
DATE: 10-10-04  
OR BK 13422 PG 1232  
BY: [Signature]  
DEPUTY CLERK



**PLAT NOTES:**  
BASIS OF BEARING IS THE WEST RIGHT-OF-WAY LINE OF CREEK DRIVE WEST WHICH BEARS S00°42'10"W.

BEARINGS AND COORDINATES (INDICATED IN FEET) AS SHOWN HEREON REFER TO THE STATE PLANE COORDINATE SYSTEM, NORTH AMERICAN HORIZONTAL DATUM OF 1983 (NAD 83 - 1990 ADJUSTMENT) FOR THE WEST ZONE OF FLORIDA, HAVE BEEN ESTABLISHED TO A MINIMUM OF THIRD ORDER ACCURACY AND ARE SUPPLEMENTAL DATA ONLY. ORIGINATING COORDINATES: HILLSBOROUGH COUNTY CONTROL MONUMENTS: "DOWNS" & "DOWNS A".

SUBDIVISION PLATS BY NO MEANS REPRESENT A DETERMINATION WHETHER PROPERTIES WILL OR WILL NOT FLOOD. LAND WITHIN THE BOUNDARIES OF THE PLAT MAY OR MAY NOT BE SUBJECT TO FLOODING. THE HILLSBOROUGH COUNTY BUILDING DEPARTMENT HAS INFORMATION REGARDING FLOODING AND RESTRICTIONS ON DEVELOPMENT.

PUBLIC DRAINAGE EASEMENTS SHALL NOT CONTAIN PERMANENT IMPROVEMENTS, INCLUDING, BUT NOT LIMITED TO, SIDEWALKS, DRIVEWAYS, IMPERVIOUS SURFACES, PATIOS, DECKS, POOLS, AIR CONDITIONERS, STRUCTURES, UTILITY SHEDS, POLES, FENCES, SPRINKLER SYSTEMS, TREES, SHRUBS, HEDGES, AND LANDSCAPING PLANTS OTHER THAN GRASS, EXCEPT AS APPROVED BY THE COUNTY ADMINISTRATOR.

ALL EASEMENTS ARE PRIVATE, UNLESS OTHERWISE DESIGNATED.

- LEGEND:**
- ⊙ = PERMANENT CONTROL POINT
  - 4" CONCRETE MONUMENT SET (PCP LB#6901)
  - P.K. NAIL and DISK, WHEN IN CENTERLINE (PCP LB#6901)
  - = PERMANENT REFERENCE MARKER
  - 4" CONCRETE MONUMENT SET (PRM LB#6901)
  - = PERMANENT REFERENCE MARKER
  - 4" CONCRETE MONUMENT FOUND (PRM LB#6901, UNLESS OTHERWISE NOTED)
  - E.P.C.H.C. = ENVIRONMENTAL PROTECTION COMMISSION OF HILLSBOROUGH COUNTY
  - ⊕ = CENTERLINE
  - = ANGLE POINT (5/8" IRON ROD SET LB#6901)
  - (OA) = OVERALL DISTANCE
  - A.C.O.E. = ARMY CORP OF ENGINEERS
  - (R) = RADIAL
  - (NR) = NON-RADIAL
  - LB = LICENSED BUSINESS
  - ESM'T = EASEMENT

**POINT OF BEGINNING**  
THE INTERSECTION OF THE WEST RIGHT-OF-WAY OF CREEK DRIVE WEST AND THE NORTH RIGHT-OF-WAY OF HAMILTON AVENUE WEST


**WETLAND CONSERVATION AREA NOTE:**  
THE WETLAND CONSERVATION AREA SHALL BE PERMANENTLY RETAINED IN A NATURAL STATE PURSUANT TO HILLSBOROUGH COUNTY, FL. LAND DEVELOPMENT CODE (LDC) AS AMENDED; THE HILLSBOROUGH COUNTY ENVIRONMENTAL PROTECTION ACT, CHAPTER 84-446; AND CHAPTER 1-11, RULES OF THE ENVIRONMENTAL PROTECTION COMMISSION OF HILLSBOROUGH COUNTY. IN ADDITION, A 30-FOOT SETBACK FROM THE WETLAND CONSERVATION AREA IS REQUIRED AND SHALL CONFORM TO THE PROVISION STIPULATED WITHIN THE LAND DEVELOPMENT CODE.




THIS IS NOT A CERTIFIED COPY

THIS IS NOT A CERTIFIED COPY

**HAMILTON PARK**  
 SECTION 27, TOWNSHIP 28 SOUTH, RANGE 17 EAST,  
 HILLSBOROUGH COUNTY, FLORIDA AND A REPLAT OF  
 BLOCK 2, SUNRAY ESTATES UNIT No. 5,  
 PLAT BOOK 38, PAGE 30



AFFIDAVIT FILED  
 DATE: 6-10-04  
 OR BK 13922 PG 1232  
 BY: [Signature] DEPUTY CLERK



LINE	LENGTH	BEARING
L28	32.19'	N36°57'20"W
L29	30.32'	N88°24'48"W
L30	13.16'	N88°24'48"W
L31	29.86'	S66°16'33"W
L32	24.93'	S23°32'07"W
L33	12.83'	S23°32'07"W
L34	44.32'	S55°33'01"W
L35	8.81'	N87°27'26"W
L36	29.14'	N87°27'26"W
L37	21.08'	N81°16'36"W
L38	50.49'	N81°16'36"W
L39	18.71'	N81°16'36"W
L40	31.47'	N88°37'11"W
L41	26.91'	N88°37'11"W
L42	23.16'	S86°16'32"W
L43	35.69'	S86°16'32"W
L44	14.42'	N89°38'12"W
L45	50.00'	N89°38'12"W
L46	34.98'	N89°38'12"W
L47	16.00'	N69°06'36"W
L169	100.37'	S85°22'31"W
L170	99.18'	S83°56'39"W
L171	93.18'	N81°08'19"W
L172	62.40'	N87°51'37"W
L173	73.34'	S63°47'41"W
L174	44.53'	S42°06'18"W
L175	44.42'	S82°28'22"W
L176	39.21'	N71°59'06"W

**PLAT NOTES:**  
 BASIS OF BEARING IS THE WEST RIGHT-OF-WAY OF CREEK DRIVE WEST WHICH BEARS S00°42'10"W.

BEARINGS AND COORDINATES (INDICATED IN FEET) AS SHOWN HEREON REFER TO THE STATE PLANE COORDINATE SYSTEM, NORTH AMERICAN HORIZONTAL DATUM OF 1983 (NAD 83 - 1990 ADJUSTMENT) FOR THE WEST ZONE OF FLORIDA, HAVE BEEN ESTABLISHED TO A MINIMUM OF THIRD ORDER ACCURACY AND ARE SUPPLEMENTAL DATA ONLY.  
 ORIGINATING COORDINATES: HILLSBOROUGH COUNTY CONTROL MONUMENTS: "DOWNS" & "DOWNS A".

SUBDIVISION PLATS BY NO MEANS REPRESENT A DETERMINATION WHETHER PROPERTIES WILL OR WILL NOT FLOOD. LAND WITHIN THE BOUNDARIES OF THE PLAT MAY OR MAY NOT BE SUBJECT TO FLOODING. THE HILLSBOROUGH COUNTY BUILDING DEPARTMENT HAS INFORMATION REGARDING FLOODING AND RESTRICTIONS ON DEVELOPMENT.

PUBLIC DRAINAGE EASEMENTS SHALL NOT CONTAIN PERMANENT IMPROVEMENTS, INCLUDING, BUT NOT LIMITED TO, SIDEWALKS, DRIVEWAYS, IMPERVIOUS SURFACES, PATIOS, DECKS, POOLS, AIR CONDITIONERS, STRUCTURES, UTILITY SHEDS, POLES, FENCES, SPRINKLER SYSTEMS, TREES, SHRUBS, HEDGES, AND LANDSCAPING PLANTS OTHER THAN GRASS, EXCEPT AS APPROVED BY THE COUNTY ADMINISTRATOR.

ALL EASEMENTS ARE PRIVATE, UNLESS OTHERWISE DESIGNATED.

- LEGEND:**
- ⊙ = PERMANENT CONTROL POINT
  - 4" CONCRETE MONUMENT SET (PCP LB#6901)
  - P.K. NAIL and DISK, WHEN IN CENTERLINE (PCP LB#6901)
  - = PERMANENT REFERENCE MARKER
  - 4" CONCRETE MONUMENT SET (PRM LB#6901)
  - = PERMANENT REFERENCE MARKER
  - 4" CONCRETE MONUMENT FOUND (PRM LB#6901, UNLESS OTHERWISE NOTED)
  - E.P.C.H.C. = ENVIRONMENTAL PROTECTION COMMISSION OF HILLSBOROUGH COUNTY
  - ⊕ = CENTERLINE
  - = ANGLE POINT (5/8" IRON ROD SET LB#6901)
  - (OA) = OVERALL DISTANCE
  - ESM'T = EASEMENT
  - A.C.O.E. = ARMY CORP OF ENGINEERS
  - (R) = RADIAL
  - (NR) = NON RADIAL
  - LB = LICENSED BUSINESS


**WETLAND CONSERVATION AREA NOTE:**  
 THE WETLAND CONSERVATION AREA SHALL BE PERMANENTLY RETAINED IN A NATURAL STATE PURSUANT TO HILLSBOROUGH COUNTY, FL, LAND DEVELOPMENT CODE (LDC) AS AMENDED; THE HILLSBOROUGH COUNTY ENVIRONMENTAL PROTECTION ACT, CHAPTER 84-446; AND CHAPTER 1-11, RULES OF THE ENVIRONMENTAL PROTECTION COMMISSION OF HILLSBOROUGH COUNTY. IN ADDITION, A 30-FOOT SETBACK FROM THE WETLAND CONSERVATION AREA IS REQUIRED AND SHALL CONFORM TO THE PROVISION STIPULATED WITHIN THE LAND DEVELOPMENT CODE.

**KCI TECHNOLOGIES, INC**  
 10150 HIGHLAND MANOR DR., STE. #120  
 TAMPA, FLORIDA 33610  
 PHONE: (813) 740-2300  
 FAX: (813) 740-0158  
 SHEET 4 OF 7

**HAMILTON PARK**

SECTION 27, TOWNSHIP 28 SOUTH, RANGE 17 EAST,  
HILLSBOROUGH COUNTY, FLORIDA AND A REPLAT OF  
BLOCK 2, SUNRAY ESTATES UNIT No. 5,  
PLAT BOOK 38, PAGE 30

AFFIDAVIT FILED  
DATE: 6-10-04  
OR BK 13922 PG 1232  
BY: *[Signature]*  
DEPUTY CLERK



CURVE TABLE						
CURVE	ARC	RADIUS	DELTA	TANGENT	CHORD	BEARING
C2	157.36'	100.00'	90°09'36"	100.28'	141.62'	S44°11'18"E
C6	188.83'	120.00'	90°09'36"	120.34'	169.94'	S44°11'18"E
C14	125.89'	80.00'	90°09'36"	80.22'	113.29'	S44°11'18"E
C19	22.69'	120.00'	10°50'08"	11.38'	22.66'	S83°51'02"E
C20	38.83'	120.00'	18°32'18"	19.58'	38.66'	S69°09'49"E
C21	38.83'	120.00'	18°32'19"	19.58'	38.66'	S50°37'30"E
C22	34.95'	120.00'	16°41'19"	17.60'	34.83'	S33°00'41"E
C23	39.45'	120.00'	18°50'06"	19.90'	39.27'	S15°14'59"E
C24	14.08'	120.00'	6°43'26"	7.05'	14.07'	S02°28'13"E

LINE TABLE		
LINE	LENGTH	BEARING
L9	23.61'	N89°16'06"W
L10	32.62'	N00°53'30"E
L15	5.39'	S89°16'06"E
L73	30.79'	N75°08'41"W
L74	33.07'	N48°42'42"W
L158	85.07'	N02°31'26"E
L159	73.13'	N04°11'24"E
L160	52.61'	N05°44'51"E
L161	45.62'	N03°01'35"E
L162	23.30'	N40°42'17"W
L163	27.36'	N08°42'37"E
L164	29.94'	N54°31'41"E
L165	27.79'	N20°32'46"E
L166	20.47'	N61°32'29"W
L167	31.13'	N28°23'04"W
L168	35.35'	N70°20'21"W
L169	100.37'	S85°22'31"W

**PLAT NOTES:**

BASIS OF BEARING IS THE WEST RIGHT-OF-WAY LINE OF CREEK DRIVE WEST WHICH BEARS S00°42'10"W.

BEARINGS AND COORDINATES (INDICATED IN FEET) AS SHOWN HEREON REFER TO THE STATE PLANE COORDINATE SYSTEM, NORTH AMERICAN HORIZONTAL DATUM OF 1983 (NAD 83 - 1990 ADJUSTMENT) FOR THE WEST ZONE OF FLORIDA, HAVE BEEN ESTABLISHED TO A MINIMUM OF THIRD ORDER ACCURACY AND ARE SUPPLEMENTAL DATA ONLY. ORIGINATING COORDINATES: HILLSBOROUGH COUNTY CONTROL MONUMENTS: "DOWNS" & "DOWNS A".

SUBDIVISION PLATS BY NO MEANS REPRESENT A DETERMINATION WHETHER PROPERTIES WILL OR WILL NOT FLOOD. LAND WITHIN THE BOUNDARIES OF THE PLAT MAY OR MAY NOT BE SUBJECT TO FLOODING. THE HILLSBOROUGH COUNTY BUILDING DEPARTMENT HAS INFORMATION REGARDING FLOODING AND RESTRICTIONS ON DEVELOPMENT.

PUBLIC DRAINAGE EASEMENTS SHALL NOT CONTAIN PERMANENT IMPROVEMENTS, INCLUDING, BUT NOT LIMITED TO, SIDEWALKS, DRIVEWAYS, IMPERVIOUS SURFACES, PATIOS, DECKS, POOLS, AIR CONDITIONERS, STRUCTURES, UTILITY SHEDS, POLES, FENCES, SPRINKLER SYSTEMS, TREES, SHRUBS, HEDGES, AND LANDSCAPING PLANTS OTHER THAN GRASS, EXCEPT AS APPROVED BY THE COUNTY ADMINISTRATOR.

ALL EASEMENTS ARE PRIVATE, UNLESS OTHERWISE DESIGNATED.


**LEGEND:**

- = PERMANENT CONTROL POINT
- 4" CONCRETE MONUMENT SET (PCP LB#6901)
- P.K. NAIL and DISK, WHEN IN CENTERLINE (PCP LB#6901)
- = PERMANENT REFERENCE MARKER
- 4" CONCRETE MONUMENT SET (PRM LB#6901)
- = PERMANENT REFERENCE MARKER
- 4" CONCRETE MONUMENT FOUND
- (PRM LB#6901, UNLESS OTHERWISE NOTED)
- E.P.C.H.C. = ENVIRONMENTAL PROTECTION COMMISSION OF HILLSBOROUGH COUNTY
- ⊙ = CENTERLINE
- = ANGLE POINT (5/8" IRON ROD SET LB#6901)
- (OA) = OVERALL DISTANCE
- A.C.O.E. = ARMY CORP OF ENGINEERS
- (R) = RADIAL
- (NR) = NON-RADIAL
- LB = LICENSED BUSINESS

**WETLAND CONSERVATION AREA NOTE:**

THE WETLAND CONSERVATION AREA SHALL BE PERMANENTLY RETAINED IN A NATURAL STATE PURSUANT TO HILLSBOROUGH COUNTY, FL, LAND DEVELOPMENT CODE (LDC) AS AMENDED; THE HILLSBOROUGH COUNTY ENVIRONMENTAL PROTECTION ACT, CHAPTER 84-446; AND CHAPTER 1-11, RULES OF THE ENVIRONMENTAL PROTECTION COMMISSION OF HILLSBOROUGH COUNTY. IN ADDITION, A 30-FOOT SETBACK FROM THE WETLAND CONSERVATION AREA IS REQUIRED AND SHALL CONFORM TO THE PROVISION STIPULATED WITHIN THE LAND DEVELOPMENT CODE.

**KCI TECHNOLOGIES, INC**  
10150 HIGHLAND MANOR DR., STE. #120  
TAMPA, FLORIDA 33610  
PHONE: (813) 740-2300  
FAX: (813) 740-0158  
SHEET 5 OF 7





THIS IS NOT A CERTIFIED COPY

HILLSBOROUGH COUNTY CANAL RIGHT-OF-WAY  
(PER OFFICIAL RECORDS BOOK 906, PAGE 192)

HAMILTON PARK  
SECTION 27, TOWNSHIP 28 SOUTH, RANGE 17 EAST,  
HILLSBOROUGH COUNTY, FLORIDA AND A REPLAT OF  
BLOCK 2, SUNRAY ESTATES UNIT No. 5,  
PLAT BOOK 38, PAGE 30

TIMBERLANE SUBDIVISION UNIT No. 3A, PLAT BOOK 51, PAGE 47  
THE WEST LINE OF THE NORTHWEST 1/4 OF SECTION 27-28-17  
LOT 103  
LOT 102  
LOT 94  
LOT 93  
LOT 86  
LOT 85  
LOT 78



LINE TABLE		
LINE	LENGTH	BEARING
L2	25.00'	N89°06'30"W
L11	39.89'	N00°53'30"E
L12	43.02'	S00°53'30"W
L13	40.00'	S89°06'30"E
L14	45.00'	S89°06'30"E
L48	18.72'	N00°37'50"W
L49	4.44'	N30°19'05"E
L50	45.45'	S89°06'30"E
L51	30.78'	N30°19'05"E
L52	43.04'	N39°13'19"E
L53	26.30'	N02°15'34"W
L54	33.80'	N30°32'59"W
L55	40.81'	S67°35'48"W
L56	10.00'	S67°35'48"W
L57	41.29'	N80°22'35"W
L58	20.51'	N80°22'35"W
L59	27.39'	N50°08'54"W
L60	25.44'	N50°08'54"W
L61	35.23'	N14°14'39"W
L62	13.47'	N14°14'39"W
L63	25.85'	N11°35'32"W
L64	12.03'	N13°00'45"E
L65	28.45'	N13°00'45"E
L66	39.44'	N35°58'10"E
L67	0.40'	N35°58'10"E
L68	41.02'	N57°24'02"E
L69	35.75'	N49°36'00"E
L70	20.70'	S47°51'47"E
L71	29.35'	N03°25'54"W
L72	15.88'	N00°35'10"E
L75	4.16'	N89°24'50"E
L76	43.04'	S26°01'51"E
L77	36.55'	N85°50'07"E
L78	33.37'	S79°33'27"E
L79	38.70'	S85°55'04"E
L80	34.12'	S54°45'54"E
L138	39.57'	N41°11'49"W
L139	26.17'	N63°21'49"E
L140	35.15'	N49°32'37"E
L141	44.55'	N43°06'16"E
L142	37.42'	N01°44'24"W
L143	57.69'	N13°06'58"W
L144	52.14'	N15°48'02"E
L145	20.57'	N28°57'18"W
L146	32.30'	N71°19'53"W
L147	26.27'	S59°36'14"W
L148	28.77'	N38°31'48"W
L149	34.52'	S53°21'28"W
L150	44.22'	S66°40'44"W
L151	49.29'	N65°26'28"W
L152	49.85'	N29°05'58"W
L153	41.59'	N05°33'44"W
L154	29.64'	N25°10'47"W
L155	57.25'	N41°46'45"E
L156	94.12'	N31°09'42"E
L157	64.14'	N08°17'24"W
L158	85.07'	N02°31'26"E

**PLAT NOTES:**  
BASIS OF BEARING IS THE WEST RIGHT-OF-WAY LINE OF CREEK DRIVE WEST WHICH BEARS S00°42'10"W.  
BEARINGS AND COORDINATES (INDICATED IN FEET) AS SHOWN HEREON REFER TO THE STATE PLANE COORDINATE SYSTEM, NORTH AMERICAN HORIZONTAL DATUM OF 1983 (NAD 83 - 1990 ADJUSTMENT) FOR THE WEST ZONE OF FLORIDA, HAVE BEEN ESTABLISHED TO A MINIMUM OF THIRD ORDER ACCURACY AND ARE SUPPLEMENTAL DATA ONLY.  
ORIGINATING COORDINATES: HILLSBOROUGH COUNTY CONTROL MONUMENTS: "DOWNS" & "DOWNS A".  
SUBDIVISION PLATS BY NO MEANS REPRESENT A DETERMINATION WHETHER PROPERTIES WILL OR WILL NOT FLOOD. LAND WITHIN THE BOUNDARIES OF THE PLAT MAY OR MAY NOT BE SUBJECT TO FLOODING. THE HILLSBOROUGH COUNTY BUILDING DEPARTMENT HAS INFORMATION REGARDING FLOODING AND RESTRICTIONS ON DEVELOPMENT.  
PUBLIC DRAINAGE EASEMENTS SHALL NOT CONTAIN PERMANENT IMPROVEMENTS, INCLUDING, BUT NOT LIMITED TO, SIDEWALKS, DRIVEWAYS, IMPERVIOUS SURFACES, PATIOS, DECKS, POOLS, AIR CONDITIONERS, STRUCTURES, UTILITY SHEDS, POLES, FENCES, SPRINKLER SYSTEMS, TREES, SHRUBS, HEDGES, AND LANDSCAPING PLANTS OTHER THAN GRASS, EXCEPT AS APPROVED BY THE COUNTY ADMINISTRATOR.  
ALL EASEMENTS ARE PRIVATE, UNLESS OTHERWISE DESIGNATED.

AFFIDAVIT FILED  
DATE: 6-10-04  
OR BK 3922 PG 1232  
BY: [Signature] DEPUTY CLERK

CURVE TABLE						
CURVE	ARC	RADIUS	DELTA	TANGENT	CHORD	BEARING
C7	199.02'	45.00'	253°23'54"	60.37'	72.16'	N52°24'33"W
C8	32.03'	25.00'	73°23'54"	18.63'	29.88'	S37°35'27"W
C9	39.27'	25.00'	90°00'00"	25.00'	35.36'	S44°06'30"E
C10	23.18'	25.00'	53°07'48"	12.50'	22.36'	N64°19'36"E
C11	249.81'	50.00'	286°15'37"	37.50'	60.00'	N00°53'30"E
C12	23.18'	25.00'	53°07'48"	12.50'	22.36'	N62°32'36"W
C13	39.27'	25.00'	90°00'00"	25.00'	35.36'	S45°53'30"W
C25	10.19'	45.00'	12°58'42"	5.12'	10.17'	S07°22'51"W
C26	60.25'	45.00'	76°42'58"	35.61'	55.85'	S52°13'41"W
C27	70.93'	45.00'	90°18'20"	45.24'	63.81'	N44°15'40"W
C28	57.65'	45.00'	73°23'54"	33.54'	53.79'	N37°35'27"E
C29	24.95'	25.00'	57°10'47"	13.62'	23.93'	S45°42'01"W
C30	7.08'	25.00'	16°13'07"	3.56'	7.05'	S09°00'04"W
C31	10.29'	25.00'	23°34'41"	5.22'	10.22'	N79°06'09"E
C32	12.89'	25.00'	29°33'07"	6.59'	12.75'	N52°32'15"E
C33	46.36'	50.00'	53°07'48"	25.00'	44.72'	S64°19'36"W
C34	34.79'	50.00'	39°51'39"	18.13'	34.09'	N69°10'41"W
C35	43.75'	50.00'	50°08'21"	23.39'	42.37'	N24°10'41"W
C36	83.55'	50.00'	95°44'21"	55.28'	74.16'	N48°45'41"E
C37	41.36'	50.00'	47°23'27"	21.94'	40.19'	S59°40'25"E
C38	18.15'	25.00'	41°35'35"	9.49'	17.75'	N56°46'29"W
C39	5.03'	25.00'	11°32'13"	2.53'	5.03'	N83°20'23"W



**WETLAND CONSERVATION AREA NOTE:**  
THE WETLAND CONSERVATION AREA SHALL BE PERMANENTLY RETAINED IN A NATURAL STATE PURSUANT TO HILLSBOROUGH COUNTY, FL. LAND DEVELOPMENT CODE (LDC) AS AMENDED; THE HILLSBOROUGH COUNTY ENVIRONMENTAL PROTECTION ACT, CHAPTER 84-446; AND CHAPTER 1-11, RULES OF THE ENVIRONMENTAL PROTECTION COMMISSION OF HILLSBOROUGH COUNTY. IN ADDITION, A 30-FOOT SETBACK FROM THE WETLAND CONSERVATION AREA IS REQUIRED AND SHALL CONFORM TO THE PROVISION STIPULATED WITHIN THE LAND DEVELOPMENT CODE.

- LEGEND:**
- = PERMANENT CONTROL POINT
  - = 4" CONCRETE MONUMENT SET (PCP LB#6901)
  - = P.K. NAIL and DISK, WHEN IN CENTERLINE (PCP LB#6901)
  - = PERMANENT REFERENCE MARKER
  - = 4" CONCRETE MONUMENT SET (PRM LB#6901)
  - = PERMANENT REFERENCE MARKER
  - = 4" CONCRETE MONUMENT FOUND (PRM LB#6901, UNLESS OTHERWISE NOTED)
  - = ENVIRONMENTAL PROTECTION COMMISSION OF HILLSBOROUGH COUNTY
  - = LICENSED BUSINESS
  - (R) = RADIAL
  - (NR) = NON RADIAL
  - ⊙ = CENTERLINE
  - = ANGLE POINT (5/8" IRON ROD SET LB#6901)
  - (OA) = OVERALL DISTANCE
  - A.C.O.E. = ARMY CORP OF ENGINEERS

**KCI TECHNOLOGIES, INC**  
10150 HIGHLAND MANOR DR., STE. #120  
TAMPA, FLORIDA 33610  
PHONE: (813) 740-2300  
FAX: (813) 740-0158  
SHEET 6 OF 7

THIS IS NOT A CERTIFIED COPY

**HAMILTON PARK**  
SECTION 27, TOWNSHIP 28 SOUTH, RANGE 17 EAST,  
HILLSBOROUGH COUNTY, FLORIDA AND A REPLAT OF  
BLOCK 2, SUNRAY ESTATES UNIT No. 5,  
PLAT BOOK 38, PAGE 30



LINE	LENGTH	BEARING
L80	34.12'	S54°45'54"E
L81	40.27'	S75°30'14"E
L82	31.78'	N57°18'31"E
L83	41.18'	S37°06'49"E
L84	52.19'	S76°36'14"E
L85	51.63'	N74°37'47"E
L86	47.92'	N44°09'49"E
L87	48.33'	S31°21'56"E
L88	31.33'	S53°26'33"E
L89	40.90'	S31°30'34"E
L90	31.88'	S26°50'37"E
L91	25.85'	S10°17'12"E
L92	35.66'	S13°13'03"W
L93	39.01'	S01°43'50"E
L94	27.38'	S00°09'15"E
L95	73.44'	S10°44'44"E
L117	24.63'	S00°39'30"E
L118	31.22'	S28°27'14"E
L119	28.31'	S37°24'50"E
L120	24.10'	S87°24'56"E
L121	23.47'	S24°06'28"E
L122	21.52'	S34°56'35"E
L123	46.99'	S41°48'13"W
L124	21.90'	S12°51'16"E
L125	59.81'	S28°09'46"E
L126	29.28'	S47°55'45"E
L127	34.39'	S45°18'47"W
L128	40.58'	S60°42'58"W
L129	38.35'	N62°54'43"W
L130	46.40'	N57°15'01"W
L131	43.98'	N36°24'55"W
L132	64.57'	N28°54'41"W
L133	49.76'	N41°54'50"W
L134	30.50'	N29°33'09"W
L135	33.64'	N30°39'28"W
L136	32.86'	N24°09'34"E
L137	38.80'	N33°57'40"W
L199	105.67'	S00°50'02"E
L200	30.29'	S35°58'34"E
L201	48.54'	S12°49'55"W
L202	39.43'	S12°36'31"E
L203	44.88'	S37°43'52"E
L204	52.39'	S55°24'43"E
L205	45.60'	S15°10'03"E
L206	43.96'	S50°14'53"E
L207	34.27'	S44°10'34"E
L208	42.57'	S05°02'59"E
L209	54.72'	S59°17'44"E
L210	48.89'	S02°36'24"E
L211	62.84'	S39°51'21"W
L212	62.24'	S75°13'35"E
L213	35.01'	S26°30'21"W
L214	41.84'	S01°20'01"E
L215	17.64'	S15°22'10"W
L216	36.43'	S16°52'33"W
L217	40.67'	S14°30'27"E
L218	50.25'	S24°01'04"E
L219	57.75'	S38°46'41"E
L220	43.50'	S59°02'48"W
L221	50.27'	S19°18'57"W
L222	42.86'	S21°13'09"E
L223	64.05'	S65°38'09"E
L224	63.14'	S73°59'37"E
L225	34.36'	N55°46'56"E
L226	58.72'	S76°38'46"E
L227	41.10'	N60°02'23"E
L228	44.16'	N11°56'28"E
L229	30.85'	N40°38'09"W
L230	69.84'	N31°58'01"W
L231	50.95'	N37°56'53"W
L232	58.14'	N35°54'39"W
L233	43.91'	N32°19'57"W
L234	44.13'	N41°50'33"W
L235	49.54'	N61°45'37"W
L236	36.39'	N78°59'53"W
L237	24.38'	S30°26'43"W

**PLAT NOTES:**

BASIS OF BEARING IS THE WEST RIGHT-OF-WAY LINE OF CREEK DRIVE WEST WHICH BEARS S00°42'10"W.

BEARINGS AND COORDINATES (INDICATED IN FEET) AS SHOWN HEREON REFER TO THE STATE PLANE COORDINATE SYSTEM, NORTH AMERICAN HORIZONTAL DATUM OF 1983 (NAD 83 - 1990 ADJUSTMENT) FOR THE WEST ZONE OF FLORIDA, HAVE BEEN ESTABLISHED TO A MINIMUM OF THIRD ORDER ACCURACY AND ARE SUPPLEMENTAL DATA ONLY.

ORIGINATING COORDINATES: HILLSBOROUGH COUNTY CONTROL MONUMENTS: "DOWNS" & "DOWNS A".

SUBDIVISION PLATS BY NO MEANS REPRESENT A DETERMINATION WHETHER PROPERTIES WILL OR WILL NOT FLOOD. LAND WITHIN THE BOUNDARIES OF THE PLAT MAY OR MAY NOT BE SUBJECT TO FLOODING. THE HILLSBOROUGH COUNTY BUILDING DEPARTMENT HAS INFORMATION REGARDING FLOODING AND RESTRICTIONS ON DEVELOPMENT.

PUBLIC DRAINAGE EASEMENTS SHALL NOT CONTAIN PERMANENT IMPROVEMENTS, INCLUDING, BUT NOT LIMITED TO, SIDEWALKS, DRIVEWAYS, IMPERVIOUS SURFACES, PATIOS, DECKS, POOLS, AIR CONDITIONERS, STRUCTURES, UTILITY SHEDS, POLES, FENCES, SPRINKLER SYSTEMS, TREES, SHRUBS, HEDGES, AND LANDSCAPING PLANTS OTHER THAN GRASS, EXCEPT AS APPROVED BY THE COUNTY ADMINISTRATOR.

ALL EASEMENTS ARE PRIVATE, UNLESS OTHERWISE NOTED.

- LEGEND:**
- ⊙ = PERMANENT CONTROL POINT
  - 4" CONCRETE MONUMENT SET (PCP LB#6901)
  - P.K. NAIL and DISK, WHEN IN CENTERLINE (PCP LB#6901)
  - = PERMANENT REFERENCE MARKER
  - 4" CONCRETE MONUMENT SET (PRM LB#6901)
  - ⊠ = PERMANENT REFERENCE MARKER
  - 4" CONCRETE MONUMENT FOUND (PRM LB#6901, UNLESS OTHERWISE NOTED)
  - = ENVIRONMENTAL PROTECTION COMMISSION OF HILLSBOROUGH COUNTY
  - (R) = RADIAL
  - (NR) = NON RADIAL
  - LB = LICENSED BUSINESS
  - CL = CENTERLINE
  - = ANGLE POINT (5/8" IRON ROD SET LB#6901)
  - (OA) = OVERALL DISTANCE
  - A.C.O.E. = ARMY CORP OF ENGINEERS

**WETLAND CONSERVATION AREA NOTE:**  
THE WETLAND CONSERVATION AREA SHALL BE PERMANENTLY RETAINED IN A NATURAL STATE PURSUANT TO HILLSBOROUGH COUNTY, FL, LAND DEVELOPMENT CODE (LDC) AS AMENDED; THE HILLSBOROUGH COUNTY ENVIRONMENTAL PROTECTION ACT, CHAPTER 84-446; AND CHAPTER 1-11, RULES OF THE ENVIRONMENTAL PROTECTION COMMISSION OF HILLSBOROUGH COUNTY. IN ADDITION, A 30-FOOT SETBACK FROM THE WETLAND CONSERVATION AREA IS REQUIRED AND SHALL CONFORM TO THE PROVISION STIPULATED WITHIN THE LAND DEVELOPMENT CODE.

AFFIDAVIT FILED  
DATE: 6-10-04  
OR BK 13922 PG 1232  
BY *[Signature]*  
DEPUTY CLERK

**KCI TECHNOLOGIES, INC**  
10150 HIGHLAND MANOR DR., STE. #120  
TAMPA, FLORIDA 33610  
PHONE: (813) 740-2300  
FAX: (813) 740-0158  
SHEET 7 OF 7